

WHEAT/GLUTEN PROTEOME REACTIVITY & AUTOIMMUNITY™



2 mL serum

- Wheat IgG
- Wheat IgA
- Wheat Germ Agglutinin IgG
- Wheat Germ Agglutinin IgA
- Native + Deamidated Alpha-Gliadin-33-mer IgG
- Native + Deamidated Alpha-Gliadin-33-mer IgA
- Alpha-Gliadin-17-mer IgG
- Alpha-Gliadin-17-mer IgA
- Gamma-Gliadin-15-mer IgG
- Gamma-Gliadin-15-mer IgA
- Omega-Gliadin-17-mer IgG
- Omega-Gliadin-17-mer IgA
- Glutenin-21-mer IgG
- Glutenin-21-mer IgA
- Gluteomorphin+Prodynorphin IgG
- Gluteomorphin+Prodynorphin IgA
- Gliadin-Transglutaminase Complex IgG
- Gliadin-Transglutaminase Complex IgA
- Transglutaminase-2 IgG
- Transglutaminase-2 IgA
- Transglutaminase-3 IgG
- Transglutaminase-3 IgA
- Transglutaminase-6 IgG
- Transglutaminase-6 IgA

CLINICAL USE:

- Accurately identify Gluten Reactivity
- Measure antibody production against 9 wheat proteins and peptides and 3 essential structure enzymes

RECOMMENDED FOR PATIENTS WHO:

- Have non-responsive GI symptoms
- Present multiple-symptom complaints (including Chronic Fatigue Syndrome and Fibromyalgia)
- Suffer from depression or neuro-autoimmunity



www.CyrexLabs.com

WHEAT

PROTEINS • ENZYMES • PEPTIDES

