






CATALOG OF SERVICES 2012

TEST #	TEST	PRICE
HOF1236	<p data-bbox="415 205 698 237">ARRAY 1 – Antibody</p> <p data-bbox="415 264 1045 304">MUCOSAL GLUTEN REACTIVITY SCREEN™</p> <ul data-bbox="415 359 1162 457" style="list-style-type: none"> • Secretory IgA • Native + Deamidated Alpha-Gliadin-33-mer IgA + IgM Combined • Transglutaminase-2 IgA + IgM Combined  <p data-bbox="224 569 548 600">Specimen Requirement:</p> <p data-bbox="224 600 461 625">Collect: 2 mL oral fluid</p> <p data-bbox="630 600 907 625">Transport: 2 mL oral fluid</p> <p data-bbox="964 600 1328 625">Pediatric: Transport 1 mL oral fluid</p>	\$115
HSE1308	<p data-bbox="415 737 698 768">ARRAY 2 – Antibody</p> <p data-bbox="415 795 1143 835">INTESTINAL ANTIGENIC PERMEABILITY SCREEN™</p> <ul data-bbox="415 877 1127 1014" style="list-style-type: none"> • Actomyosin IgA • Occludin/Zonulin IgG • Occludin/Zonulin IgA • Occludin/Zonulin IgM • Lipopolysaccharides (LPS) IgG • Lipopolysaccharides (LPS) IgA • Lipopolysaccharides (LPS) IgM  <p data-bbox="224 1119 548 1150">Specimen Requirement:</p> <p data-bbox="224 1150 558 1176">Collect: 5 mL red top or tiger top</p> <p data-bbox="630 1150 878 1176">Transport: 2 mL serum</p> <p data-bbox="964 1150 1320 1176">Pediatric: Transport 0.5 mL serum</p>	\$195
HSE1258	<p data-bbox="415 1293 698 1325">ARRAY 3 – Antibody</p> <p data-bbox="354 1352 1289 1392">WHEAT/GLUTEN PROTEOME REACTIVITY & AUTOIMMUNITY™</p> <ul data-bbox="172 1444 1442 1791" style="list-style-type: none"> • Wheat IgG • Wheat IgA • Wheat Germ Agglutinin IgG • Wheat Germ Agglutinin IgA • Native + Deamidated Alpha-Gliadin-33-mer IgG • Native + Deamidated Alpha-Gliadin-33-mer IgA • Alpha-Gliadin-17-mer IgG • Alpha-Gliadin-17-mer IgA • Gamma-Gliadin-15-mer IgG • Gamma-Gliadin-15-mer IgA • Omega-Gliadin-17-mer IgG • Omega-Gliadin-17-mer IgA • Glutenin-21-mer IgG • Glutenin-21-mer IgA • Gluteomorphin + Prodynorphin IgG • Gluteomorphin + Prodynorphin IgA • Gliadin-Transglutaminase Complex IgG • Gliadin-Transglutaminase Complex IgA • Transglutaminase-2 IgG • Transglutaminase-2 IgA • Transglutaminase-3 IgG • Transglutaminase-3 IgA • Transglutaminase-6 IgG • Transglutaminase-6 IgA  <p data-bbox="224 1818 548 1850">Specimen Requirement:</p> <p data-bbox="224 1850 558 1875">Collect: 5 mL red top or tiger top</p> <p data-bbox="630 1850 878 1875">Transport: 2 mL serum</p> <p data-bbox="964 1850 1320 1875">Pediatric: Transport 0.5 mL serum</p>	\$325

TEST #	TEST	PRICE
HSE1283	ARRAY 4 – Antibody	\$225

GLUTEN-ASSOCIATED CROSS-REACTIVE FOODS & FOODS SENSITIVITY™

- Rye, Barley, Spelt, Polish Wheat IgG + IgA Combined
- Cow's Milk IgG + IgA Combined
- Alpha-Casein & Beta-Casein IgG + IgA Combined
- Casomorphin IgG + IgA Combined
- Milk Butyrophilin IgG + IgA Combined
- Whey Protein IgG + IgA Combined
- Chocolate (Milk) IgG + IgA Combined
- Oats IgG + IgA Combined
- Yeast IgG + IgA Combined
- Coffee IgG + IgA Combined
- Sesame IgG + IgA Combined
- Buckwheat IgG + IgA Combined
- Sorghum IgG + IgA Combined
- Millet IgG + IgA Combined
- Hemp IgG + IgA Combined
- Amaranth IgG + IgA Combined
- Quinoa IgG + IgA Combined
- Tapioca IgG + IgA Combined
- Teff IgG + IgA Combined
- Soy IgG + IgA Combined
- Egg IgG + IgA Combined
- Corn IgG + IgA Combined
- Rice IgG + IgA Combined
- Potato IgG + IgA Combined



Specimen Requirement:

Collect: 5 mL red top or tiger top

Transport: 2 mL serum

Pediatric: Transport 0.5 mL serum

HSE1316	ARRAY 5 – Antibody	List Price: \$1,150 Introductory Price: \$575
---------	--------------------	--

MULTIPLE AUTOIMMUNE REACTIVITY SCREEN™

- Parietal Cell + ATPase IgG + IgA Combined
- Intrinsic Factor IgG + IgA Combined
- ASCA + ANCA IgG + IgA Combined
- Tropomyosin IgG + IgA Combined
- Thyroglobulin IgG + IgA Combined
- Thyroid Peroxidase (TPO) IgG + IgA Combined
- 21 Hydroxylase (Adrenal Cortex) IgG + IgA Combined
- Myocardial Peptide IgG + IgA Combined
- Alpha-Myosin IgG + IgA Combined
- Phospholipid IgG + IgA Combined
- Platelet Glycoprotein IgG + IgA Combined
- Ovary/Testis* IgG + IgA Combined
- Fibulin IgG + IgA Combined
- Collagen Complex IgG + IgA Combined
- Arthritic Peptide IgG + IgA Combined
- Osteocyte IgG + IgA Combined
- Cytochrome P450 (Hepatocyte) IgG + IgA Combined
- Insulin + Islet Cell Antigen IgG + IgA Combined
- Glutamic Acid Decarboxylase 65 (GAD 65) IgG + IgA Combined
- Myelin Basic Protein IgG + IgA Combined
- Asialoganglioside IgG + IgA Combined
- Alpha + Beta Tubulin IgG + IgA Combined
- Cerebellar IgG + IgA Combined
- Synapsin IgG + IgA Combined

* Ovary and Testis are tested together to avoid any confusion arising out of potential cross-reactivity.







Specimen Requirement:

Collect: 5 mL red top or tiger top

Transport: 2 mL serum

Pediatric: Transport 0.5 mL serum

TEST #	TEST	PRICE
HSE1341	ARRAY 6 – Antibody	\$175
DIABETES AUTOIMMUNE REACTIVITY SCREEN™		
<ul style="list-style-type: none"> • Glutamic Acid Decarboxylase 65 (GAD65) IgG + IgA Combined • Insulin + Islet Cell Antigen IgG + IgA Combined 		
	Specimen Requirement: Collect: 5 mL red top or tiger top Transport: 2 mL serum Pediatric: Transport 0.5 mL serum	
HSE1342	ARRAY 7 – Antibody	\$275
NEUROLOGICAL AUTOIMMUNE REACTIVITY SCREEN™		
<ul style="list-style-type: none"> • Myelin Basic Protein IgG + IgA Combined • Asialoganglioside IgG + IgA Combined • Alpha + Beta Tubulin IgG + IgA Combined • Cerebellar IgG + IgA Combined • Synapsin IgG + IgA Combined 		
	Specimen Requirement: Collect: 5 mL red top or tiger top Transport: 2 mL serum Pediatric: Transport 0.5 mL serum	
HSE1343	ARRAY 8 – Antibody	\$195
JOINT AUTOIMMUNE REACTIVITY SCREEN™		
<ul style="list-style-type: none"> • Arthritic Peptide IgG + IgA Combined • Collagen Complex IgG + IgA Combined • Fibulin IgG + IgA Combined 		
	Specimen Requirement: Collect: 5 mL red top or tiger top Transport: 2 mL serum Pediatric: Transport 0.5 mL serum	
HOF1237	SECRETORY IgA (oral fluid)	\$55
	Specimen Requirement: Collect: 2 mL oral fluid Transport: 2 mL oral fluid Pediatric: Transport 1 mL oral fluid	